

ISBN: 978-93-95847-22-3

FROM CELLS TO ECOSYSTEMS:
EXPLORING LIFE SCIENCE RESEARCH
VOLUME II

Editors:

Dr. Surendra S. Kadam

Dr. Alok Ranjan Sahu

Mr. Bhuvaneshwaran T

Dr. Shrikant Verma



BHUMI PUBLISHING, INDIA
FIRST EDITION: JUNE 2024

From Cells to Ecosystems: Exploring Life Science Research Volume II

(ISBN: 978-93-95847-22-3)

Editors

Dr. Surendra S. Kadam

Department of Zoology, Gokhale Education
Society's Arts, Commerce and Science
College, Jawahar, Dist. Palghar, M.S.

Dr. Alok Ranjan Sahu

Department of Botany,
Vikash Degree College,
Bargarh, Odisha

Mr. Bhuvaneshwaran T

Department of Fish Nutrition and Feed
Technology, ICAR - Central Institute of
Fisheries Education, Mumbai

Dr. Shrikant Verma

Department of Personalized and Molecular
Medicine,
Era University, Lucknow, U.P.



Bhumi Publishing

June, 2024

Copyright © Editors

Title: From Cells to Ecosystems: Exploring Life Science Research Volume II

Editors: Dr. Surendra S. Kadam, Dr. Alok Ranjan Sahu,

Mr. Bhuvaneshwaran T, Dr. Shrikant Verma

First Edition: June, 2024

ISBN: 978-93-95847-22-3



All rights reserved. No part of this publication may be reproduced or transmitted, in any form or by any means, without permission. Any person who does any unauthorized act in relation to this publication may be liable to criminal prosecution and civil claims for damages.

Published by:



Bhumi Publishing

BHUMI PUBLISHING

Nigave Khalasa, Tal – Karveer, Dist – Kolhapur, Maharashtra, INDIA 416 207

E-mail: bhumipublishing@gmail.com

Disclaimer: The views expressed in the book are of the authors and not necessarily of the publisher and editors. Authors themselves are responsible for any kind of plagiarism found in their chapters and any related issues found with the book.



PRELIMINARY PHYTOCHEMICALS ANALYSIS OF *ANDROGRAPHIS PANICULATA* (BURM.F.) WALL

Abhijeet R. Kasarkar*, Shweta V. Jadhav and Shrihari G. Kulkarni

Department of Botany & Department of Biotechnology,
Vivekanand College, Kolhapur (Empowered Autonomous)- 416 003

*Corresponding author E-mail: kasarkarabhi@gmail.com

Abstract:

The phytochemicals present in plants act as potential source of useful drugs to improve the health status of humans. Phytochemicals analysis is the first step towards discovery of useful drugs. Plants are the richest resources of drugs and useful for the various biological activity. The present investigation includes the phytochemical screening of *Andrographis paniculata* (Burm.f.) Wall. was one of the highly used medicinal plants. Phytochemical tests were carried out specially for screening secondary metabolites of this plants. In our study we have investigated different phytochemicals from leaf of this plant by using different solvents for extraction. The plant shows the phytochemicals like saponins, tannins, terpenoid and steroids.

Keywords: *Andrographis paniculata* (Burm. f.) Wall, Phytochemicals, Saponins, Tannins, Terpenoid, Steroids.

Introduction:

Phytochemicals are produced by plants through primary or secondary metabolism. Generally they have biological activity in the plant host and contribute to its development or protection by activating defence mechanisms and giving the plants colour, odour and flavor (Molyneux *et al.*, 2007).

All the secondary metabolites are unique and complex structure. Many of these have been found to possess interesting biological activities and find applications such as pharmaceuticals, insecticides, dyes, flavors and fragrances. They can be used to treat chronic and infectious disease (Duraipandiyar *et al.*, 2006).

Andrographis paniculata (Burm.f.) Wall belonging to family acanthaceae. Erect, branched, annual herb, branches quadrangular, glabrous. Flowers solitary, distant in lax, terminal and axillary racemes or panicles. Corolla white with rose or pink throat, pubescent outside. Filaments hairs in upper part, anthers bearded at base. Capsules acute at both ends, glabrous. Seeds many, pitted, pale brown, glabrous. Flowering and

fruiting in between August to February (Yadav and Sardesai, 2002). It is commonly known as "King of Bitter".

Andrographis paniculata (Burm.f.) Wall was one of the highly used potential medicinal plants and it has been used to treat various illness conditions all over the world especially in Asia, Europe and Africa (Mishra, 2007).

This plant shows a variety of biological properties such as antibacterial, antiviral, cold and fever, anticancer, urinary tract infection, anti-diabetic, cardiovascular, immune- modulator (Bharatanatyam, 2023).

In traditional Indian medicine, this plant has been used for the treatments of dysentery and diabetic problems, skin and worm infections and against various ulcers. (Hossain *et al.*, 2014)

Phytochemicals such as tannins shows strong activity against several plant pathogens and pest (Pawar, 2010). Saponin has insecticidal activity like repellent and deterrent activity. The use of plant compounds like essential oils, flavonoids, alkaloids, glycosides, esters and fatty acids having repellent effects.

Materials and Methods:

Plant collection and identification

Collection of plant material like *Andrographis paniculata* (Burm.f.) Wall. These samples were free from disease. Plant materials were identified with stranded literature. Plant part like leaf was used for further studies.

Extraction of plant material:

Preparation of aqueous extracts:

Samples were weighed using an electronic balance and 10 gm of plant material were crushed in 100 ml of distilled water and filter through muscline cloth. These samples are used for phytochemical analysis (Harbone, 1973).

Preliminary phytochemical analysis:

The individual extracts were used for the qualitative phytochemical screening for the presence of some chemical constituents. Phytochemical test was carried out adopting standard procedure.

Test for Alkaloids

A quantity (3 ml) of concentrated extract was taken into testtube, cooled and filter, the filtrate was used for following test.

Dragen Droff's Test:

2 drops of Dragendroff's reagent were added to 1ml of the extract. The development of a creamy ppt was indicates that presence of alkaloids.

Test for Saponin

5 ml extract was mixed with 20 ml of distilled water then agitated in the graduated cylinder; 15 min formation of foam indicates Saponin present.

Test for Tannin

4ml of extract was treated with 4 ml FeCl_3 formation of green colour indicates that presence of condensed tannin.

Test for Proteins

Xanthoproteic Test: Extract was treated with few drops of concentrated HNO_3 formation of yellow colour indicates the presence of Proteins.

Test for Amino Acid

NinhydrinTest: Take the 2 ml of extract and 2 ml on the Ninhydrin reagent was added and boil for few minutes, formation of blue colour indicates the presence of the Amino Acid.

Test for Flavonoids

Alkaline Reagent Test: Extract was treated with 10 % of NaOH solution, formation of intense yellow colour indicates the presence of the Flavonoids.

Test for Phytosterol

Salkowski's Test: Extract was treated with chloroform and filtered. The filtered was treated with few drops of concentrated H_2SO_4 and shake, allow the standing appearance of golden red indicates the positive test.

Test for Phenol

Ferric chloride Test: Test extract were treated with 4 drops of Alcoholic FeCl_3 solution. Formation of bluish black colour indicates the presence of Phenols.

Test for Phlobatannins

Deposition of red ppt when aqueous extract of each plant sample is boiled with 10 % aqueous HCl was taken evidence of presence of the Phlobatannins.

Test for Cardial Glycosides

Killer-Killani Test: Plant extract treated with glacial acetic acid containing a drop of FeCl_3 . A brown coloured ring indicates the presence of the positive test.

Test for Carbohydrates

Iodine Test: Take 2 ml of extract were treated with 5 drops of Iodine solution, gives blue colour, indicates the positive test.

Test for Reducing Sugar

Benedict's Test: Filtrate were treated with the Benedict's reagent and heated gently, orange red ppt indicates the presence of reducing sugar.

Test for Terpenoid

1ml. of freshly prepared extract was firstly treated with 2 ml. of chloroform then with 3ml. of concentrated sulphuric acid to form a layer reddish brown coloration of interface shows presence of terpenoid.

Test for Steroid

2 ml. of plant extract was dissolved in 5 ml. Chloroform and then 5 m. of concentrated sulphuric acid was added. Formation of 2 phases (upper red and lower yellow with green fluorescence) indicates the presence of steroid.

Results and Discussion:

Table 1: Phytochemical analysis of *Andrographis paniculata* (Burm.f.) Wall.

Sr. No.	Phytochemicals	Aqueous Extract	Methanol Extract	Chloroform Extract
1.	Alkaloids	+	-	-
2.	Carbohydrates	+	-	-
3.	Reducing Sugar	-	+	-
4.	Phytosterol	+	+	-
5.	Saponin	+	+	+
6.	Phenolic compounds	+	+	-
7.	Tannin	+	+	+
8.	Flavonoid	+	-	-
9.	Proteins	+	-	+
10.	Terpenoid	+	+	+
11.	Cardial Glycosides	+	+	-
12.	Steroids	+	+	+

Note: [(+)= Positive, (-)=Negative, (#) = Doubtful]

The present study was carried out to investigate the phytochemical profile present in leaf of *Andrographis paniculata* (Burm.f.) Wall. The results of the various phytochemical screening tests obtained during the experiment are shown in table No.1. The phytochemicals like saponins, tannins, terpenoid and steroids are present in all the extracts and shown potent biological activity and medicinal property.

Aqueous extract revealed the presence of maximum phytochemicals such as alkaloids, carbohydrates, phytosterol, saponins, phenolic compounds, tannins, flavonoids, proteins, cardiac glycosides and steroids.

Methanol extract revealed the presence of phytochemical such as reducing sugar, phytosterol, saponins, phenolic compounds, tannins, terpenoid, cardiac glycosides and steroids.

Chloroform extract revealed the presence of phytochemical such as saponins, tannins, proteins, terpenoid and steroids.

The presence of secondary metabolites in plants is influenced by several environmental factors. The presence of saponins is responsible for the bitter taste and a well known for their hemolytic effect on red blood cells (Prohp *et al.*, 2012). The saponins content of plants also helps in fighting pathogens and boosting the immune system. Additionally cytotoxic qualities, anti-bacterial, anti-viral properties are possessed due to the presence of saponin. (Bailly and Vergoten 2020)

Tannin possesses an anticancer property (Mazni *et al.*, 2016). The presence of terpenoids and steroid have a great importance in synthesizing sex hormones synthetic compounds (Okwu *et al.*, 2001).

Conclusion:

The phytochemicals observed in this study shows these plants have a potency for use in producing pharmaceutical bioactive compounds for therapeutic drugs. Further studies should be carried out on these in order to isolate, identify the bioactive compounds and determine their mechanism in action. The presence of phytochemicals makes the plant useful for treating different disease and have a potential for providing a drug for human use.

Phytochemicals analysis showed rich contain of bioactive molecules in *Andrographis paniculata* (Burm.f.) Wall. Due to the presence of saponin, tannin, terpenoid and steroid. Aqueous extract showed more bioactive constituents followed by methanol and chloroform. Thus this plant may be used for the production of herbal drugs.

Acknowledgement:

Authors are highly thankful to Principal, Vivekanand college, Kolhapur (Empowered Autonomous) for laboratory facilities and Dr. D. K. Kulkarni for continuous support.

References:

1. Bailly, C., & Vergoten, G. (2020). Esculentosides: Insights into the potential health benefits, mechanism of action, and molecular target. *Phytomedicine*, 79, 1533-1543.
2. Bharatanatyam, A. (2023). A comprehensive review of Kalmegh's biological activities (*Andrographis paniculata*). *International Journal of Pharmacy and Pharmaceutical Sciences*, 15(2), 1-7.
3. Duraipandiyan, V., Ayyanar, M., & Ignacimuthu, S. (2006). Antimicrobial activity of some ethnobotanical plants used by Paliyar tribe from Tamil Nadu, India. *BMC Complementary and Alternative Medicine*, 6, 35-41.
4. Harborne, J. B. (1973). *Phytochemical methods*. Chapman and Hall Ltd.
5. Hossain, M. S., Urbi, Z., Abubakar, S., & Rahman, K. M. H. *Andrographis paniculata* (Burm. F.) Wall. Ex. Nees: A review of ethnobotany, phytochemistry, and pharmacology. *Article ID 274905*.
6. Mazni Abu, Z., Ho Yin, W., Azizul, I., & Nurdin, A. (2016). Antioxidant, antimicrobial, and cytotoxic potential of condensed tannin from *Leucaena leucocephala* hybrid Rendang. *Food Science and Human Wellness*, 5(2), 65-75.
7. Mishra, S. K., Neelam, S. S., & Sangwan, R. S. (2007). *Andrographis paniculata* (Kalmegh): A review. *Pharmacognosy Reviews*, 1(2).
8. Molyneux, R. J., Lee, S. T., Gardner, L. E., & Panter, K. E. (2007). Phytochemicals: The good, the bad, and the ugly. *Phytochemistry*, 68(22-24), 2973-2985.
9. Okwu, D. E. (2001). Evaluation of the chemical composition of indigenous species and flavouring agents. *Global Journal of Pure and Applied Sciences*, 7(3), 455-459.
10. Pawar, V., & Chavan, A. M. (2010). Incidence of powdery mildew on Cucurbit plants and its ecofriendly management. *Journal of Ecobiotechnology*, 2(6), 29-43.
11. Prohp, T. P., & Onoagbe, I. O. (2012). Determination of phytochemical composition of the stem bark of *Triplochiton scleroxylon* K. Schum. (Sterculiaceae). *International Journal of Applied Biology and Pharmaceutical Technology*, 3(2), 68-76.
12. Yadav, S. R., & Sardesai, M. M. (2002). *Flora of Kolhapur district*. Shivaji University.